

External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover

Impervious Surfaces (8.39 acres - 0.9 % of total)
(Bottom-Up**)



Agriculture (0.31 acres - 0 % of total)



Wetlands (237.31 acres - 25.2 % of total)



Tree Canopy (824.11 acres - 87.5 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UVM SAL High-Resolution Land Cover 2016 Report for more detail.

Chittenden

Waterbody 250ft Buffer

259 acres

(Base Land Cover Shown)



External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover

Impervious Surfaces (3.01 acres - 1.2 % of total)

(Bottom-Up**)



Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (44.02 acres - 17 % of total)



Tree Canopy (236.3 acres - 91.2 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UVM SAL High-Resolution Land Cover 2016 Report for more detail.



External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover

Impervious Surfaces (6.6 acres - 0.8 % of total)
(Bottom-Up**)



Agriculture (0.31 acres - 0 % of total)



Wetlands (222.84 acres - 26.7 % of total)



Tree Canopy (731.93 acres - 87.7 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UVM SAL High-Resolution Land Cover 2016 Report for more detail.

Chittenden

Waterbody 100ft Buffer

114 acres

(Base Land Cover Shown)



External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover

Impervious Surfaces (1.98 acres - 1.7 % of total)

(Bottom-Up**)



Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (18.25 acres - 16 % of total)



Tree Canopy (96.67 acres - 84.8 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UVM SAL High-Resolution Land Cover 2016 Report for more detail.



External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LiDAR, National Hydrography Dataset

High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover

Impervious Surfaces (72.59 acres - 0.8 % of total)
(Bottom-Up**)



Agriculture (66.44 acres - 0.7 % of total)



Wetlands (1,001.83 acres - 10.7 % of total)



Tree Canopy (8,862.89 acres - 94.3 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UVM SAL High-Resolution Land Cover 2016 Report for more detail.